

olivetti



d-COPIA6200 and d-COPIA8200

MODULAR DIGITAL COPIERS


BLACK&WHITE




SPEED



MODULAR



NETWORK



d-COPIA6200 and d-COPIA8200

MODULAR DIGITAL COPIERS



DEPARTMENTAL SYSTEMS FOR SUPERIOR PERFORMANCE

These modular black & white copiers are the ideal choice for medium/large organisations looking for cost-effective work tools.

MAIN CHARACTERISTICS

| | |
|---|---|
| HIGH SPEEDS FOR HEAVY WORKLOADS | FIRST COPY TIME 2.9 SECONDS (d-Copia 8200) |
| OPTIONAL NETWORK PRINTER AND SCANNER MODULES | VERSATILE PAPER MANAGEMENT FOR CONTINUOUS PRODUCTIVITY |
| AUTOMATIC DOCUMENT FEEDER FOR 260 DUPLEXED A4 ORIGINALS IN A SINGLE PASS | COMPLETE PROFESSIONAL FINISHER OPTIONS |
| SCANNING SPEED 82 opm | COMPETITIVE COPY COST DUE TO LONG-LIFE CONSUMABLES |

MODULARITY

The Olivetti d-Copia 6200 and d-Copia 8200 are fully modular digital copiers, **configurable for use in network** environments. Basic functions can be expanded with the addition of network printer and scanner modules, as well as **complete professional finisher options**. For enhanced paper autonomy, a large-capacity paper tray is available.

PRODUCTIVITY

The systems offer **competitive speeds** of 62 and 82 cpm respectively, rapid warm-up time (less than 30 seconds) and a **high-productivity duty cycle** of up to 500,000 pages per month with consistently **excellent reproduction levels**. Due to these models double scanner, the 260-page **automatic document feed** reads both sides of a page in a single pass, at a maximum speed of 110 opm at 300 dpi.

PAPER MANAGEMENT

The standard configuration comes with **sizeable paper capacity** of two 500-sheet universal trays, two A4 trays holding up to 1,500 sheets and a 100-sheet by-pass. This can be increased up to 8,100 sheets with the addition of a large-capacity tray for 4,000 sheets. The **optional finisher unit** supports a variety of automatic stapling positions, two-or four-hole punching and the creation of booklets with saddle stapling and 200 g/m² covers. Documents printed by network users can be collected and sorted in a practical five-tray mailbox. **Professional document management** is guaranteed by a pneumatic paper feed system for rapid production and alignment precision.



STANDARD PAPER CAPACITY
up to 4,100 sheets



8" BROAD TOUCH-SCREEN
with 640 x 240 dpi resolution



HIGH-SPEED DUPLEX SCANNING

RELIABILITY AND COST-EFFECTIVENESS

The 55,000-page toner volume (at 6% coverage) and drum, designed to support the entire system life cycle (up to 3.6 million pages for the d-Copia 6200 and 4.8 million pages for the d-Copia 8200), guarantee ultra-reliable and **continuous document production**. The **long-life consumables** significantly reduce routine maintenance for the replacement of finished supplies, enabling departments with high output to **optimise running costs** (the lowest for this class of copier).

ERGONOMICS

These models make paper in black, the copiers make **paper changes** easy with their smooth-running paper trays, secure locks and robust handles. They feature **touch-screens** for simple, efficient management of all the optional print and scan functions, and feature a new-look black body design.

In operation, the systems guarantee the essential requirements of confidentiality and hard disk data protection with a series of **security solutions** including cryptography and password-based access. An optional Data Security kit further raises security levels for sensitive data.

CONFIGURATION

- 1 - AUTOMATIC DOCUMENT FEEDER**
260 sheets (80 g/m²)
- 2 - SECURITY SYSTEMS**
for data protection
- 3 - TILTING OPERATING CONSOLE**
for easy access
- 4 - VERSATILE PAPER MANAGEMENT**
4,100 sheets
- 5 - PROFESSIONAL FINISHER UNIT**
(optional)
- 6 - HIGH-CAPACITY PAPER TRAY**
4,000 A4 sheets (optional)
- 7 - FOLDING MODULE**
max. ten 16-page A4/A3 booklets
(optional)
- 8 - MAILBOX**
with 5 bins (optional)



TECHNICAL SPECIFICATIONS

| | | | | |
|---------------------------------|---|--|---------------------------------------|---|
| GENERAL | Type desktop/console | Console | Duty cycle | d-Copia 6200: 350,000 pages/month d-Copia 8200: 500,000 pages/month |
| | Technology | Monocomponent, Single laser | | |
| | Engine Speed | d-Copia 6200: 62/31 ppm A4/A3 d-Copia 8200: 82/41 ppm A4/A3 | Power | 220-240 VAC, 50/60 Hz |
| | Dual scan duplex | Originals size: A3-A5R (64-160 g/m ²) | | |
| | Standard paper supply | Tray: 2x500 sheets + 2x1500 sheets Bypass: 100 sheets | Absorption | d-Copia 6200: 1,800 W (Printing), 700 W (Stand-by), 10 W (Sleep mode) d-Copia 8200: 1,950 W (Printing), 650 W (Stand-by), 10 W (Sleep mode) |
| | Output capacity | Max 250 sheets upper tray | | |
| | Automatic document feeder (64-80 g/m²) | 260 sheets A3R-A5R, Folio | Warm-up time | < 30 sec. |
| COPIER | Scanning system | Flat bed scanning by CCD Image Sensor | Preset magnification ratios | 22R/9E |
| | Copy method | Indirect electrostatic system | Zoom | 25%-400% (step 1%) |
| | First copy time | d-Copia 6200: 3.6 seconds d-Copia 8200: 2.9 seconds | Resolution | 600 x 600 dpi |
| | Continuous copy | Up to 9,999 | Other functions | Energy save mode, interrupt copy, scan once copy many, EcoPrint mode, electronic sort, rotate sort, rotate copy, N-up copy, split copy, cover mode, page numbering, image overlay, margin shift, border erase, mirror, positive/negative, proof mode, duplex, booklet copy, programs (8), department codes (1,000), job building, job reservation, image centring, repeat copy, form registration, shared data box, synergy print box |
| | Memory | 128 MB RAM 40 GB Hard Disk | | |
| | Originals | Sheets, books, 3-D objects | | |
| | Copy formats | A3R-B6R, Folio, envelopes | | |
| Copy weights | Trays: 60-160 g/m ² Bypass: 45-200 g/m ² Duplexing: 64-120 g/m ² | | | |
| NETWORK PRINTER (OPTION) | CPU | PowerPC 750CXe / 600 MHz | Protocols | TCP/IP, IPX/SPX, Apple Talk, NetBEUI |
| | Operating System | Windows 98/Me/NT 4.0/2000/XP/2003/Vista/2008, Mac OS 10.x | | |
| | Fonts | 80 scalable, 136 PostScript, 1 bitmap, 45 one dimensional and 2 two-dimensional barcodes type | Memory | 64 MB expandable to 576 MB, HDD optional |
| | Emulation | Prescribe PCL6 (PCL5e, XL), KPDL3 (PS3), KC-GL, IBM Proprinter X24E, EPSON LQ-850, Diablo 630, Line printer | Interfaces | Bi-directional parallel (IEEE 1284), USB 2.0 (high speed), 2 KUIO-LV slots |
| SCANNER (OPTION) | System | Flat bed scanning system with CCD | Network protocol | TCP/IP |
| | | | Compression method | G4 (MMR) |
| | Memory | 128 MB RAM 40 GB Hard Disk | PC compatibility | IBM PC/AT Compatible, MAC |
| | Speed | Up to 82 spm (600 dpi, A4, Black & white) | Interfaces | Ethernet 10/100Base-TX, USB 2.0 (TWAIN) |
| | Resolution | 200, 300, 400, 600 dpi with 256 greyscale | Scanner drivers | DB-Assistant, Scanner utility, Address book, Twain source, Address Editor |
| | Scan mode | Black & white text, photo, draft, OCR | Scanner functions | Scan to e-mail, scan to SMB, scan to FTP, scan to folder, TWAIN |
| | Max. scan size | A3 | | |
| Image format | TIFF/PDF | | | |
| OPTIONS | Paper Tray unit PF-650 (B) | Capacity: 4,000 sheets (60-160 g/m ²) Format: A4/B5 Dimensions (WxDxH): 371 x 589 x 693 mm, Weight: 41 Kg | Multi tray MT-1 (B) | 5 trays output paper Capacity: 150/100 sheets A4/A3 per trays (45-200 g/m ²) Format: A3-B5 Dimensions (WxDxH): 368 x 392 x 573 mm Weight: 33 Kg |
| | Finisher unit DF-650 (B) | 2 trays (45-200 g/m ²) Main tray: 3,000 sheets (A3-B6R) Sub tray: 200 sheets (45-200 g/m ²) Stapling: 4 position, 50 sheets (30 sheets: A3, B4) Hole punching: optional Dimensions (WxDxH): 796 x 640 x 1,070 mm Weight: 73 Kg | | Booklet folder BF-1 (B) |
| | Punch unit for DF-650 PH-4C (B) | Paper format: A3-B5R Paper weight: 60-160 g/m ² 2-4 holes | Memory for printing system (W) | DIMM memory: 2 slot for 32, 64, 128, 256 MB Hard Disk (HD-10): 40 GB for data, forms, font storage |
| | | | Data Security Kit B | |

Product performances are referred to an appropriate use under optimal conditions. With the right to change technical specifications. The registered trademarks are the property of their respective owners. d-Copia 6200 and d-Copia 8200 are distributed by Olivetti S.p.A. (06/09) - Code: 27083-00